



EVERFINE GONIOPHOTOMETERS SYSTEM TEST REPORT

LUMINAIRE PHOTOMETRIC TEST REPORT

Test:U:226.4V I:0.4278A P:89.6W PF:0.9401 Lamp Flux:14610x1 lm		
NAME: C400-50DT	TYPE:C400-50DT-C	WEIGHT:/
SPEC.:/	DIM.: /	SERIAL No.:
MFR.:	SUR.:/	PROTECTION ANGLE:/

DATA OF LAMP		PHOTOMETRIC DATA Eff: 163.0 lm/W			
MODEL	C400-50DT	I _{max} (cd)	4752	S/MH(C0/180)	1.29
NOMINAL POWER(W)	89.6	LOR(%)	100.0	S/MH(C90/270)	1.30
RATED VOLTAGE(V)	220	TOTAL FLUX(lm)	14610	h UP, DN(C0-180)	1.6, 47.6
NOMINAL FLUX(lm)	14610	CIE CLASS	DIRECT	h UP, DN(C180-360)	1.8, 49.0
LAMPS INSIDE	1	h up(%)	3.4	CIBSE SHR NOM	1.50
TEST VOLTAGE(V)	220	h down(%)	96.6	CIBSE SHR MAX	1.50



C Range: 0 - 360DEG
 C Interval: 90.0DEG
 Test Speed: HIGH
 Temperature:25.3DEG
 Operators:Liuyanping

Range: 0 - 180DEG
 Interval: 1.0DEG
 Test System:EVERFINE GO-2000B_V1 SYSTEM V2.0.288
 Humidity:65.0%
 Test Distance:10.000m [K=1.0000]