



EVERFINE GONIOPHOTOMETERS SYSTEM TEST REPORT

LUMINAIRE PHOTOMETRIC TEST REPORT

Test:U:219.9V I:0.9489A P:199.6W PF:0.9613 Lamp Flux:32840x1 lm		
NAME: CM700-50DT	TYPE:CM700-50DT-C	WEIGHT:/
SPEC.:/	DIM.: /	SERIAL No.:LM171202002
MFR.:	SUR.:/	PROTECTION ANGLE:/

DATA OF LAMP		PHOTOMETRIC DATA Eff: 164.5 lm/W			
MODEL	CM700-50DT	I _{max} (cd)	10547	S/MH(C0/180)	1.33
NOMINAL POWER(W)	199.6	LOR(%)	100.0	S/MH(C90/270)	1.34
RATED VOLTAGE(V)	220	TOTAL FLUX(lm)	32840	h UP, DN(C0-180)	1.5, 47.4
NOMINAL FLUX(lm)	32840	CIE CLASS	DIRECT	h UP, DN(C180-360)	1.7, 49.4
LAMPS INSIDE	1	h up(%)	3.2	CIBSE SHR NOM	1.50
TEST VOLTAGE(V)	220	h down(%)	96.8	CIBSE SHR MAX	1.50



C Range: 0 - 360DEG
 C Interval: 90.0DEG
 Test Speed: HIGH
 Temperature:25.3DEG
 Operators:Liuyanping

Range: 0 - 180DEG
 Interval: 1.0DEG
 Test System:EVERFINE GO-2000B_V1 SYSTEM V2.0.288
 Humidity:65.0%
 Test Distance:10.000m [K=1.0000]